

**“San Marino Mail,”**  
Easy deliveries. Easy business.

**SMM WEB SERVICE**

**Dropoff Locator API**

*The information in this document is subject to change without notice.*

*This document contains information protected by copyright.  
No part of this document may be photocopied or reproduced in any form  
without prior written consent from San Marino Mail Italia S.r.l.*

*@Copyright 2026 San Marino Mail Italia.*

*All rights reserved.*

*Date Revised: Mon, 16th February 2026*

## TABLE OF CONTENTS

Document purpose.....	4
API description.....	4
Locate .....	5
Geolocate .....	7
GetInfo.....	9

## DOCUMENT PURPOSE

This document briefly describes how to interact with SMM Dropoff locator API. Also are described the operations (i.e. methods) that are exposed and response messages.

## API DESCRIPTION

The API exposes the following services:

- Locate
- Geolocate
- Getinfo

The API offers methods that returns JSON information about drop off locations. The available country list is:

- Germany (DE)
- France (FR)
- Spain (ES)
- Italy (IT)

All data passed and received within the web-service is based on headers values and JSON strings and everything need to be passed with POST method.

To use the Dropoff locator services a valid token is needed. For a Token retrieval, please refer to the SmmWs3 API documentation. Furthermore, it's mandatory to add following headers in the call:

- Accept: application/json
- username: testusername
- token: {token}TEST-TOKEN-a0a2-47b0-b1ab-923d2ec4b8ce

If any of the listed mandatory headers is missing an error will be sent.

## LOCATE

In the following table are listed the arguments to be passed as Json object:

NAME	DESCRIPTION	TYPE	BYT E	MA ND.	NOTE
Country	Country ISO Code	T	2	Y	
PostalCode	Postal Code	T	10	Y	
City	City	T	50	N	
Address	Address	T	50	N	
Type	Dropoff Type	T	50	N	Available options: shop/postoffice/locker/neighbors Accepts multiple comma-separated values.
Carrier	Carrier Code	T	100	N	Available options: PDB, BRT, MR, INPOST, GLS Accepts multiple comma-separated values.

### URL

<https://ws3.sanmarinomail.it/SmmDropoffLocator/locate>

### JSON EXAMPLE

```
{
  "Country": "IT",
  "PostalCode": "20125"
}
```

### ↑ CURL EXAMPLE

```
curl -H "Accept: application/json" -H "token: ddddddddddddddddddddddd" -H "username: testuser" -d '{"Country": "IT", "PostalCode": "20125"}' -X POST https://ws3.sanmarinomail.it/SmmDropoffLocator/locate
```

### ↓ RESPONSE EXAMPLES

#### SUCCESSFUL (JSON ARRAY OBJECT):

```
[
  {
    "id": "IT-PDB-RTZ-ZMIGR",
    "country": "IT",
    "carrierLabel": "Poste Italiane",
    "address": "VIALE DELLE RIMEMBRANZE DI GRECO 39, 20125 MILANO IT",
    "latitude": 45.49966390,
    "longitude": 9.211740843,
    "timeSlots": {
      "sunday": "CLOSED",
      "saturday": "06:00-20:00",
      "tuesday": "06:00-20:00",
      "wednesday": "06:00-20:00",
    }
  }
]
```

```
        "thursday": "06:00-20:00",
        "friday": "06:00-20:00",
        "monday": "06:00-20:00"
    },
    "type": "shop",
    "carrier": "PDB",
    "addressDetail": {
        "zipcode": "20125",
        "country": "IT",
        "address": "VIALE DELLE RIMEMBRANZE DI GRECO 39",
        "city": "MILANO"
    },
    "nameExtended": "shop | Punto Poste Greco 39",
    "name": "Punto Poste Greco 39",
    "detail": "monday: 06:00-20:00, tuesday: 06:00-20:00, wednesday:
        06:00-20:00, thursday: 06:00-20:00, friday: 06:00-20:00,
        saturday: 06:00-20:00, sunday: CLOSED"
},
...
...
]
```

**PLEASE NOTE:**

Use the **ID** value as the **DROPOFF\_ID** parameter  
when calling the SMM web service to request a label  
and to retrieve PUDO information (GetInfo, see below)

## GEOLOCATE

In the following table are listed the arguments to be passed as Json object:

NAME	DESCRIPTION	TYPE	BYT E	MA ND.	NOTE
Latitude	Latitude required	N		Y	
Longitude	Longitude required	N		Y	
Radius	Search radius in KM	T	50	N	Defaults to 5 km if omitted. Max allowed value: 100 km
Limit	Maximum number of PUDO locations to return	T	50	N	If not specified, return all PUDOs within the search radius
Type	Dropoff Type	T	50	N	Available options: shop/postoffice/locker/neighbors Accepts multiple comma-separated values.
Carrier	Carrier Code	T	100	N	Available options: PDB, BRT, MR, INPOST, GLS Accepts multiple comma-separated values.

### URL

<https://ws3.sanmarinomail.it/SmmDropoffLocator/geolocate>

### JSON REQUEST EXAMPLE:

```
{
  "Latitude": 45.49966390,
  "Longitude": 9.211740843,
  "Radius": 1.1,
  "Limit": 2
}
```

### ↑ CURL EXAMPLE

```
curl -H "Accept: application/json" -H "token: xxx" -H "username: testuser" -d '{"Latitude": 45.49966390, "Longitude": 9.211740843, "Radius": 1.1 }' -X POST https://ws3.sanmarinomail.it/SmmDropoffLocator/geolocate
```

## ↓ RESPONSE EXAMPLES:

## ✓ SUCCESSFUL (STATUS FIELD = 0):

```
[
  {
    "id": "IT-PDB-RTZ-ZMIGR",
    "country": "IT",
    "carrierLabel": "Poste Italiane",
    "address": "VIALE DELLE RIMEMBRANZE DI GRECO 39, 20125 MILANO IT",
    "latitude": 45.49966390,
    "longitude": 9.211740843,
    "timeSlots": {
      "sunday": "CLOSED",
      "saturday": "06:00-20:00",
      "tuesday": "06:00-20:00",
      "wednesday": "06:00-20:00",
      "thursday": "06:00-20:00",
      "friday": "06:00-20:00",
      "monday": "06:00-20:00"
    },
    "type": "shop",
    "carrier": "PDB",
    "addressDetail": {
      "zipcode": "20125",
      "country": "IT",
      "address": "VIALE DELLE RIMEMBRANZE DI GRECO 39",
      "city": "MILANO"
    },
    "nameExtended": "shop | Punto Poste Greco 39",
    "name": "Punto Poste Greco 39",
    "detail": "monday: 06:00-20:00, tuesday: 06:00-20:00, wednesday: 06:00-20:00,
    thursday: 06:00-20:00, friday: 06:00-20:00, saturday: 06:00-20:00, sunday:
    CLOSED"
  },
  ...
  ...
]
```

## PLEASE NOTE:

Use the **ID** value as the **DROPOFF\_ID** parameter  
when calling the SMM web service to request a label  
and to retrieve PUDO information (GetInfo, see below)

**GETINFO**

This method allows the user to get all the information regarding a single Dropoff Point. The only Mandatory field is the following:

- dropoffID: Dropoff Identifier of the required PUDO (see above)

 URL

<https://ws3.sanmarinomail.it/SmmWs3/getinfo>

 JSON REQUEST EXAMPLE:

```
{
  "dropoffID": "IT-PDB-FMP-01046"
}
```

 CURL EXAMPLE

```
curl -H "Accept: application/json" -H "token: xxx" -H "username: testuser" -d
'{"dropoffID": "IT-PDB-FMP-01046" }' -X POST
https://ws3.sanmarinomail.it/SmmDropoffLocator/getinfo
```

 RESPONSE EXAMPLES:

 **SUCCESSFUL:**

```
{
  "country": "IT",
  "carrierLabel": "Poste Italiane",
  "address": "VICOLO CASTELLO 1, 15050 CARBONARA SCRIVIA IT",
  "latitude": 44.84928385,
  "timeSlots": {
    "sunday": "CLOSED",
    "saturday": "08:20-12:45",
    "tuesday": "08:20-13:45",
    "wednesday": "08:20-13:45",
    "thursday": "08:20-13:45",
    "friday": "08:20-13:45",
    "monday": "08:20-13:45"
  },
  "type": "postoffice",
  "carrier": "PDB",
  "addressDetail": {
    "zipcode": "15050",
    "country": "IT",
    "address": "VICOLO CASTELLO 1",
    "city": "CARBONARA SCRIVIA"
  },
  "nameExtended": "postoffice | Ufficio postale CARBONARA SCRIVIA",
  "name": "Ufficio postale CARBONARA SCRIVIA",
  "id": "IT-PDB-FMP-01046",
  "detail": "monday: 08:20-13:45, tuesday: 08:20-13:45, wednesday: 08:20-13:45, thursday: 08:20-13:45, friday: 08:20-13:45, saturday: 08:20-12:45, sunday: CLOSED",
  "longitude": 8.87033261
}
```